

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"10500192" and (two or stage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 20:05
L2	1	"10500192"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 20:06
L3	476	hirota and shibata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 20:07
L4	7	l3 and biaxial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 20:07
L5	6	l4 and (two or stage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 20:09
L11	4973	428/35.7	US-PGPUB; USPAT	AND	ON	2010/01/16 21:04
L12	175	428/1.6	US-PGPUB; USPAT	AND	ON	2010/01/16 21:04
L13	524	264/521	US-PGPUB; USPAT	AND	ON	2010/01/16 21:04
L14	653	264/532	US-PGPUB; USPAT	AND	ON	2010/01/16 21:04
L15	401	215/373	US-PGPUB; USPAT	AND	ON	2010/01/16 21:04
L16	736	215/381	US-PGPUB; USPAT	AND	ON	2010/01/16 21:04
L17	6936	L11 or L12 or L13 or L14 or L15 or L16	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2010/01/16 21:04
L18	6936	L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 21:04
L19	4605	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2010/01/16 21:04

L20	4605	L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 21:04
L21	1680	orientation adj parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 21:05
L22	4540	diffraction adj intensity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 21:05
L23	6203	L21 or L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 21:05
L24	228765	two adj stage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 21:05
L25	56838	blow adj mold\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 21:05
L26	458	l24 same l25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2010/01/16 21:05
S1	4163	428/35.7	US-PGPUB; USPAT	AND	ON	2007/10/31 08:57
S2	126	428/1.6	US-PGPUB; USPAT	AND	ON	2007/10/31 08:57
S3	489	264/521	US-PGPUB; USPAT	AND	ON	2007/10/31 08:57
S4	613	264/532	US-PGPUB; USPAT	AND	ON	2007/10/31 08:58
S6	320	215/373	US-PGPUB; USPAT	AND	ON	2007/10/31 08:58
S7	560	215/381	US-PGPUB; USPAT	AND	ON	2007/10/31 08:58
S8	1	("6349838").PN.	US-PGPUB; USPAT	AND	ON	2007/10/31 08:59
S9	2	("6627279").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/10/31 09:01
S10	59907	biaxial\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/10/31 09:33

S12	5	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/10/31 09:33
S13	5796	S1 or S2 or S3 or S4 or S6 or S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/10/31 09:34
S14	1319	S10 and S13	US-PGPUB; USPAT	AND	ON	2007/10/31 09:34
S15	2164	S1 and container	US-PGPUB; USPAT	AND	ON	2007/10/31 09:34
S16	889	S14 and container	US-PGPUB; USPAT	AND	ON	2007/10/31 09:34
S17	4050	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2007/10/31 09:35
S18	305	S17 and S16	US-PGPUB; USPAT	AND	ON	2007/10/31 09:35
S19	4055	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2007/11/01 07:28
S20	3	S19 and XRF	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 07:28
S21	66823	X-ray adj diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 07:29
S22	212	S19 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 07:30
S23	5477	biaxial adj orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 08:05
S24	229	S21 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 08:06
S25	4163	428/35.7	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S26	126	428/1.6	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S27	489	264/521	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S28	613	264/532	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S29	320	215/373	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S30	560	215/381	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57

S31	59944	biaxial\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 16:57
S32	5796	S25 or S26 or S27 or S28 or S29 or S30	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/01 16:57
S33	1319	S31 and S32	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S34	889	S33 and container	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S35	4055	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2007/11/01 16:57
S36	305	S35 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/01 16:57
S37	5746	biaxial adj orientation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:30
S38	1	2theata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:32
S39	5	"2" adj theata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:32
S40	7991	"2" adj theta	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:34
S41	20	S37 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:34
S42	18	lx/ly	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:40
S43	20	lx\$/ly	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:41
S44	1237	orientation adj parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:42

S45	4	BO near S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:43
S46	3664	diffraction adj intensity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:44
S47	16	S44 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 09:44
S48	4163	428/35.7	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S49	126	428/1.6	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S50	489	264/521	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S51	613	264/532	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S52	320	215/373	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S53	560	215/381	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S54	59978	biaxial\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:19
S55	5796	S48 or S49 or S50 or S51 or S52 or S53	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:19
S56	1319	S54 and S55	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S57	889	S56 and container	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S58	4055	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2007/11/05 10:19
S59	305	S58 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:19
S60	1459	S58 and container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:19
S61	47498	blow adj mold\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:20

S62	753	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:20
S63	150	"3903234"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:44
S64	51	"3849530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 10:47
S65	16062	heat adj setting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:11
S66	1061	S58 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:11
S67	331	S66 and container	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:11
S68	165	S67 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:36
S69	269	dsc adj endothermic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:57
S70	1	S68 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/05 14:57
S71	5748	biaxial adj orientation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:41
S72	150	"3903234"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:41
S73	80	S71 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:41

S74	47536	blow adj mold\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:41
S75	1149	S71 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:41
S76	744	stretch adj rod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:42
S77	126	S75 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 09:42
S78	1	primary adj orientation adj blow adj molding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2007/11/08 10:01
S79	11	"5585065"	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/06/18 14:51
S80	72516	X-ray adj diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:19
S81	10264	S80 and theta	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/06/19 11:19
S82	20	S81 and (blow with mold)	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	OFF	2008/06/19 11:20
S83	65921	biaxial\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:39
S84	65921	S83	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:39
S85	4222	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2008/06/19 11:39
S86	4222	S85	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:39
S87	3	S85 and XRF	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:39
S88	3	S87	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:39

S89	1382	orientation adj parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40
S90	1370	S89	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40
S91	3931	diffraction adj intensity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40
S92	3866	S91	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40
S93	15	S90 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40
S94	2730	S85 and polyester	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:40
S95	950	S94 and container	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:41
S96	80	S95 and diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/06/19 11:41
S97	1	"10500192"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/22 16:19
S98	465	hirota and shibata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/22 16:21
S99	7	S98 and biaxial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/22 16:21
S100	20870	uniform same (bottom or heel) and orientat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/26 16:19
S101	1323	S100 and bottle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/26 16:20
S102	75995	X-ray adj diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/12/26 16:20



S103	38	S101 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/26 16:20
S104	229106	thin same bottom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 20:57
S105	8580	S104 and bottle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 20:58
S106	4338	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2008/12/28 20:59
S107	128	S105 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 20:59
S108	4543	428/35.7	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
S109	154	428/1.6	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
S110	504	264/521	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
S111	630	264/532	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
S112	376	215/373	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
S113	672	215/381	US-PGPUB; USPAT	AND	ON	2008/12/28 22:13
S114	6374	S108 or S109 or S110 or S111 or S112 or S113	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13
S115	6374	S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13
S116	464	S106 and S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13
S117	276	S116 and bottle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13
S118	75995	X-ray adj diffraction	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13

S119	3	S117 and S118	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2008/12/28 22:13
S120	5898	biaxial adj orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2009/01/04 13:25
S121	185	uniform same S120	US-PGPUB; USPAT	AND	ON	2009/01/04 13:25
S122	57	S121 and bottle	US-PGPUB; USPAT	AND	ON	2009/01/04 13:25
S123	45	S122 and bottom	US-PGPUB; USPAT	AND	ON	2009/01/04 13:25
S124	125317	uniform near5 thickness	US-PGPUB; USPAT	AND	ON	2009/05/28 11:51
S125	4705	428/35.7	US-PGPUB; USPAT	AND	ON	2009/05/28 11:51
S126	164	428/1.6	US-PGPUB; USPAT	AND	ON	2009/05/28 11:51
S127	510	264/521	US-PGPUB; USPAT	AND	ON	2009/05/28 11:51
S128	638	264/532	US-PGPUB; USPAT	AND	ON	2009/05/28 11:51
S129	384	215/373	US-PGPUB; USPAT	AND	ON	2009/05/28 11:51
S130	700	215/381	US-PGPUB; USPAT	AND	ON	2009/05/28 11:51
S131	6591	S125 or S126 or S127 or S128 or S129 or S130	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2009/05/28 11:51
S132	620	S124 and S131	US-PGPUB; USPAT	AND	ON	2009/05/28 11:51
S133	4456	biaxial adj orientation	US-PGPUB; USPAT	AND	ON	2009/05/28 11:51
S134	44	S133 adj polyester	US-PGPUB; USPAT	AND	ON	2009/05/28 11:51
S135	46	biaxial adj orientat \$4 adj polyester	US-PGPUB; USPAT	AND	ON	2009/05/28 11:52
S136	119	biaxial adj orient\$5 adj polyester	US-PGPUB; USPAT	AND	ON	2009/05/28 11:52
S137	0	S136 and S132	US-PGPUB; USPAT	AND	ON	2009/05/28 11:52
S138	2117	biaxial\$3 adj orient \$5 adj polyester	US-PGPUB; USPAT	AND	ON	2009/05/28 11:52
S139	24	S138 and S132	US-PGPUB; USPAT	AND	ON	2009/05/28 11:53

S140	0	"10500192"	US-PGPUB; USPAT	AND	ON	2009/05/28 11:59
S141	1	"10500192"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/28 11:59
S142	331480	uniform same thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/28 12:04
S143	363221	uniform same thick \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/28 12:04
S144	6030	biaxial adj orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2009/05/28 12:04
S145	191	uniform same S144	US-PGPUB; USPAT	AND	ON	2009/05/28 12:04
S146	59	S145 and bottle	US-PGPUB; USPAT	AND	ON	2009/05/28 12:04
S147	47	S146 and bottom	US-PGPUB; USPAT	AND	ON	2009/05/28 12:04
S148	36	S143 and S147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/28 12:04
S149	137807	uniform adj thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/28 12:20
S150	13505	S149 same bottom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/28 12:20
S151	572	S150 and bottle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/28 12:21
S152	30	S151 and S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/28 12:21
S153	2	"0683029"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/28 15:44

S154	296	nakamaki	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/28 15:45
S155	20	S154 and uniform	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/28 15:45
S156	2	"09216275"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 09:45
S157	3302	stretch adj blow adj molding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 10:01
S158	2184	S157 and bottle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 10:01
S159	1243	S158 and polyester	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 10:01
S160	1390	S158 and thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 10:01
S161	638	S160 and uniform	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 10:01
S162	9114997	without or sans	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 10:06
S163	4442	(stretch or press) adj rod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 10:06
S164	60	S162 near10 S163	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 10:06
S165	30	S164 and (bottle or plastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 10:06

S166	25	S165 and blow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 10:07
S167	6	"4641758"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 11:09
S168	36935	uniform same thickness same bottom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 11:09
S169	0	S167 and S168	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 11:09
S170	331480	uniform same thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 11:09
S171	2	S167 and S170	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2009/05/29 11:09

1/ 16/ 2010 9:05:41 PM

C:\ Documents and Settings\ ekashnikow\ My Documents\ EAST\ Workspaces\ 10500192  
biaxial orientation.wsp